

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3689	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near15 databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:02
L2	153	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near15 databases and alternat\$4 near3 interface\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:03
L3	0	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near15 databases and alternat\$4 near3 interface\$1 near10 databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:03
L4	1	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near15 databases and alternat\$4 near3 interface\$1 and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:04
L5	98	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near15 databases and interface\$1 and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:05
L6	6	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near15 databases and option\$1 near5 interface\$1 and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:05
L7	1	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near15 databases and choic\$4 near5 interface\$1 and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:06
L8	10	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near15 databases and second\$4 near5 interface\$1 and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:06

L9	24	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near15 databases and type\$1 near5 interface \$1 and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:09
L10	0	(@ad<"20030508" or @rlad<"20030508") and alternat\$4 near15 scheme\$1 near10 integrat\$4 near15 databases and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:14
L11	0	(@ad<"20030508" or @rlad<"20030508") and alternat\$4 near15 schem\$4 near10 integrat\$4 near15 databases and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:15
L12	0	(@ad<"20030508" or @rlad<"20030508") and different near15 schem\$4 near10 integrat\$4 near15 databases and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:15
L13	14	(@ad<"20030508" or @rlad<"20030508") and schem\$4 near10 integrat\$4 near15 databases and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:15
L14	1	(@ad<"20030508" or @rlad<"20030508") and schem\$4 near10 integrat\$4 near15 databases and (alternat\$\$ or second\$\$ or option\$1 or choos\$4 or choic\$4) near5 schem\$4 and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:17
L15	0	(@ad<"20030508" or @rlad<"20030508") and schem\$4 near10 integrat\$4 near15 databases and direct \$4 near5 schem\$4 and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:19
L16	2	(@ad<"20030508" or @rlad<"20030508") and schem\$4 near10 integrat\$4 near15 databases and direct \$4 near5 transfer\$4 and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:19
L17	1	(@ad<"20030508" or @rlad<"20030508") and schem\$4 near10 integrat\$4 near15 databases and pluralit\$4 near5 schem\$4 and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:20

L18	2	(@ad<"20030508" or @rlad<"20030508") and schem\$4 near10 integrat\$4 near15 databases and different near5 schem\$4 and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:21
L19	0	(@ad<"20030508" or @rlad<"20030508") and schem\$4 near10 integrat\$4 near15 databases and direct near5 database\$1 and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:22
L20	0	(@ad<"20030508" or @rlad<"20030508") and schem\$4 near10 integrat\$4 near15 databases and direct near5 database\$1 and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:22
L21	7	(@ad<"20030508" or @rlad<"20030508") and schem\$4 near10 integrat\$4 near15 databases and without near5 database\$1 and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:23
L22	2	(@ad<"20030508" or @rlad<"20030508") and schem\$4 near10 integrat\$4 near15 databases and direct \$4 near5 database\$1 and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:39
L23	35	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near15 databases and direct\$4 near5 database \$1 and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:40
L24	2	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near3 server near15 databases and direct \$4 near5 database\$1 and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:44
L25	3	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near3 server near15 (databases or source \$1) and direct\$4 near5 database\$1 and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:44

L26	5	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near3 server near15 (databases or source \$1) and (second\$4 or different or option\$1 or select \$4) near15 (interfac\$4 or schem\$4 or protocol\$1) and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:46
L27	3	(@ad<"20030508" or @rlad<"20030508") and (integrat\$4 or tranfer\$4) near15 (databases or source \$1) and direct same indirect same interfac\$4 and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:48
L28	9	(@ad<"20030508" or @rlad<"20030508") and (integrat\$4 or tranfer\$4) near15 (databases or source \$1) and direct same indirect and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:49
L29	9	(@ad<"20030508" or @rlad<"20030508") and (integrat\$4 or tranfer\$4) near15 (databases or source \$1) and direct same indirect and "707"/\$3.ccls. and direct and indirect	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:55
L30	14	(@ad<"20030508" or @rlad<"20030508") and (integrat\$4 or tranfer\$4) near15 (databases or source \$1) and direct and "707"/\$3.ccls. and direct and indirect	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:57
L31	1	(@ad<"20030508" or @rlad<"20030508") and (integrat\$4 or tranfer\$4) near15 (databases or source \$1) and direct near5 copy\$4 and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 12:59
L32	0	(@ad<"20030508" or @rlad<"20030508") and direct near5 copy\$4 near15 databases and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:02
L33	0	(@ad<"20030508" or @rlad<"20030508") and direct near5 copy\$4 near15 stores and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:02

L34	3	(@ad<"20030508" or @rlad<"20030508") and direct near5 copy\$4 near15 stor\$5 and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:02
L35	10	(@ad<"20030508" or @rlad<"20030508") and direct and 707/602.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:05
L37	2	(@ad<"20030508" or @rlad<"20030508") and bulk near transfer\$4 and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:07
L38	86	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near database\$1 and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:08
L39	76	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near database\$1 and "707"/\$3.ccls. and direct \$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:09
L40	10	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near database\$1 and "707"/\$3.ccls. and (alternat\$4 or option\$1) near15 direct\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:10
L41	8	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near database\$1 and "707"/\$3.ccls. and direct \$2 near15 copy\$\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:12
L42	173	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near database\$1 and direct\$2 near15 copy\$\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:14
L43	48	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near database\$1 and direct\$2 near15 copy\$\$ same database\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:14

L44	4	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near database\$1 and direct\$2 near15 copy\$\$ same databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:14
L45	36	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near database\$1 and direct\$2 near15 (copy\$4 or import\$\$) same databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:20
L46	28	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near database\$1 and direct\$2 near15 (copy\$4 or import\$1 or importing) same databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:21
L47	0	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near database\$1 and option\$4 near15 direct \$2 near15 (copy\$4 or import \$1 or importing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:25
L48	8	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near database\$1 and select\$4 near15 direct\$2 near15 (copy\$4 or import\$1 or importing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:25
L49	201	(@ad<"20030508" or @rlad<"20030508") and integrat\$4 near database\$1 and direct\$2 near15 (copy\$4 or import\$1 or importing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:25
L50	143	(@ad<"20030508" or @rlad<"20030508") and option\$1 near15 direct\$2 near15 (export\$1 or exporting or copy\$4 or import \$1 or importing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:26
L51	0	(@ad<"20030508" or @rlad<"20030508") and option\$1 near15 direct\$2 near15 (export\$1 or exporting or copy\$4 or import \$1 or importing) same databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:26
L52	9	(@ad<"20030508" or @rlad<"20030508") and option\$1 near15 direct\$2 near15 (export\$1 or exporting or copy\$4 or import \$1 or importing) same databases\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:26

L53	31	(@ad<"20030508" or @rlad<"20030508") and option\$1 near15 direct\$2 near15 (export\$1 or exporting or copy\$4 or import\$1 or importing) and mapp\$4	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:27
L54	53	(@ad<"20030508" or @rlad<"20030508") and (option\$1 or menu or choice \$1) near15 direct\$2 near15 (export\$1 or exporting or copy\$4 or import\$1 or importing) and mapp\$4	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:28
L55	22	(@ad<"20030508" or @rlad<"20030508") and (option\$1 or menu or choice \$1) near15 direct\$2 near15 (export\$1 or exporting or copy\$4 or import\$1 or importing) and mapp\$4 not i53	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:29
L56	3	(@ad<"20030508" or @rlad<"20030508") and (option\$1 or menu or choice \$1) near15 direct\$2 near15 (export\$1 or exporting or copy\$4 or import\$1 or importing) and "707"/\$3. ccls.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:29
L57	3	(@ad<"20030508" or @rlad<"20030508") and (option\$1 or menu or choice \$1) near15 direct\$2 near15 (export\$1 or exporting or copy\$4 or writ\$4 or import\$1 or importing) and "707"/\$3. ccls.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:30
L58	419	(@ad<"20030508" or @rlad<"20030508") and (option\$1 or menu or choice \$1) near15 direct\$2 near15 (export\$1 or exporting or copy\$4 or writ\$4 or import\$1 or importing)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:30
L59	1	(@ad<"20030508" or @rlad<"20030508") and (option\$1 or menu or choice \$1) near15 direct\$2 near15 (export\$1 or exporting or copy\$4 or writ\$4 or import\$1 or importing) same without near10 (transform\$5 or convers\$5)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:31

L60	75	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near15 (export\$1 or exporting or copy\$4 or writ \$4 or import\$1 or importing) same without near10 (transform\$5 or convers\$5)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:31
L61	72186	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near15 (export\$1 or exporting or copy\$4 or writ \$4 or import\$1 or importing)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:32
L62	274	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near15 (export\$1 or exporting or copy\$4 or writ \$4 or import\$1 or importing) and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:32
L63	52175	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near15 (export\$1 or exporting or copy\$4 or writ \$4 or import\$1 or importing) and databases an d"707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:34
L64	151	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near15 (export\$1 or exporting or copy\$4 or writ \$4 or import\$1 or importing) and databases and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:34
L65	18	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near15 (export\$1 or exporting or copy\$4 or writ \$4 or import\$1 or importing) same databases and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:34
L66	1	(@ad<"20030508" or @rlad<"20030508") and option\$1 near10 direct\$2 near15 (export\$1 or exporting or copy\$4 or writ \$4 or import\$1 or importing) and databases and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:36
L67	2	(@ad<"20030508" or @rlad<"20030508") and option\$1 near10 direct\$2 near15 (export\$1 or exporting or copy\$4 or writ \$4 or import\$1 or importing) and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:36

L68	155	(@ad<"20030508" or @rlad<"20030508") and option\$1 near10 direct\$2 near15 (export\$1 or exporting or copy\$4 or writ \$4 or import\$1 or importing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:43
L69	0	(@ad<"20030508" or @rlad<"20030508") and option\$1 near10 direct\$2 near15 (export\$1 or exporting or copy\$4 or writ \$4 or import\$1 or importing) same databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:43
L70	0	(@ad<"20030508" or @rlad<"20030508") and option\$1 near10 direct\$2 near15 (export\$1 or exporting or copy\$4 or writ \$4 or import\$1 or importing) same sources	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:43
L71	18	(@ad<"20030508" or @rlad<"20030508") and option\$1 near10 direct\$2 near15 (export\$1 or exporting or copy\$4 or writ \$4 or import\$1 or importing) same interfac\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:44
L72	1294877	(@ad<"20030508" or @rlad<"20030508") and option\$1 near10 transform\$4 and option\$1 near10 without transform\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:46
L73	6	(@ad<"20030508" or @rlad<"20030508") and option\$1 near10 transform\$4 and option\$1 near10 without near3 transform\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:47
L74	1441	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near15 without near3 transform\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:47
L75	71	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near15 without near3 transform\$4 and databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:48

L76	0	(@ad<"20030508" or @rlad<"20030508") and option\$1 near15 direct\$2 near15 without near3 transform\$4 and databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:48
L77	2	(@ad<"20030508" or @rlad<"20030508") and option\$1 near15 direct\$2 near15 without near3 transform\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:48
L78	71	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near15 without near3 transform\$4 and databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:48
L79	1	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near15 without near3 transform\$4 same databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:49
L80	1	(@ad<"20030508" or @rlad<"20030508") and (option\$1 or alternat\$4 or second\$4) near15 etl\$1 same databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:51
L81	83	(@ad<"20030508" or @rlad<"20030508") and etl \$1 same databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:52
L82	15	(@ad<"20030508" or @rlad<"20030508") and etl \$1 same databases and direct \$2 near15 load\$\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:53
L83	15	(@ad<"20030508" or @rlad<"20030508") and etl \$1 same databases and direct \$2 near15 load\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:53
L84	3	(@ad<"20030508" or @rlad<"20030508") and etl \$1 same databases and direct \$2 near15 load\$4 and direct \$2 and without near5 transform\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:55

L85	0	(@ad<"20030508" or @rlad<"20030508") and etl \$1 and direct\$2 near15 load \$4 same databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:57
L86	0	(@ad<"20030508" or @rlad<"20030508") and option\$1 near15 direct\$2 near15 load\$4 same databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:58
L87	18	(@ad<"20030508" or @rlad<"20030508") and option\$1 near15 load\$4 same databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:58
L88	0	(@ad<"20030508" or @rlad<"20030508") and option\$1 near15 load\$4 same databases same without near5 transform\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:58
L89	0	(@ad<"20030508" or @rlad<"20030508") and option\$1 near15 load\$4 same databases and without near5 transform\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:59
L90	75	(@ad<"20030508" or @rlad<"20030508") and etl \$1 same databases and direct \$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:59
L91	9	(@ad<"20030508" or @rlad<"20030508") and etl \$1 same databases and direct \$2 near15 databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 13:59
L92	19	(@ad<"20030508" or @rlad<"20030508") and etl \$1 same databases and etl near tools	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 14:02
L93	0	(@ad<"20030508" or @rlad<"20030508") and etl \$1 same databases and (alternat\$4 or second\$4) near15 etl near tools	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 14:03

L94	0	(@ad<"20030508" or @rlad<"20030508") and etl \$1 same databases and (alternat\$4 or second\$4) near15 etl near tool\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 14:03
L95	3	(@ad<"20030508" or @rlad<"20030508") and etl \$1 same databases and (alternat\$4 or second\$4) near15 etl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 14:05
L96	7	(@ad<"20030508" or @rlad<"20030508") and etl \$1 same databases and select\$4 near15 etl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 14:10
L97	0	(@ad<"20030508" or @rlad<"20030508") and etl \$1 same databases and option\$1 near15 etl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 14:13
L98	3	(@ad<"20030508" or @rlad<"20030508") and etl \$1 same databases and direct \$2 near15 etl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 14:13
L99	2	"6996589".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 14:44
L100	0	"6996589".pn. and etl	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 14:44
L101	0	"6996589".pn. and etl\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 14:44
L102	1	"6996589".pn. and extract\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 14:47

L103	4979187	"6996589".pn. and extract\$4 or load\$4 or transform\$6	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 14:48
L104	1	"6996589".pn. and (extract \$4 or load\$4 or transform\$6)	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 14:48
L105	26	((@ad<"20030508" or @rlad<"20030508") and non-transform\$6 near15 extract \$4 same load\$4	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 14:59
L106	119	((@ad<"20030508" or @rlad<"20030508") and non-transform\$6 near15 direct\$2	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 14:59
L107	20	((@ad<"20030508" or @rlad<"20030508") and non-transform\$6 near15 direct\$2 and databases	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 14:59
L108	2	((@ad<"20030508" or @rlad<"20030508") and option\$1 near15 non-transform\$6	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:19
L109	3	((@ad<"20030508" or @rlad<"20030508") and option\$1 near15 (non-transform\$6 or (without near transform\$6))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:20
L110	13394	((@ad<"20030508" or @rlad<"20030508") and transform\$5 same (non-transform\$6 or (without near transform\$6))	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:20
L111	2177	((@ad<"20030508" or @rlad<"20030508") and transform\$5 same (non-transform\$6 or (without near transform\$6)) and databases	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:21

L112	10	(@ad<"20030508" or @rlad<"20030508") and transform\$5 same (non-transform\$6 or (without near transform\$6)) same databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:21
L113	1431	(@ad<"20030508" or @rlad<"20030508") and transform\$5 same (non-transform\$6 or (without near transform\$6)) and extract\$4 and load\$4 and databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:21
L114	14	(@ad<"20030508" or @rlad<"20030508") and transform\$5 same (non-transform\$6 or (without near transform\$6)) and extract\$4 and load\$4 same databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:22
L115	0	(@ad<"20030508" or @rlad<"20030508") and select\$4 near15 transform\$5 same (non-transform\$6 or (without near transform\$6)) and extract\$4 and load\$4 same databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:26
L116	389	(@ad<"20030508" or @rlad<"20030508") and select\$4 near15 transform\$5 same (non-transform\$6 or (without near transform\$6)) and databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:27
L117	2	(@ad<"20030508" or @rlad<"20030508") and select\$4 near15 transform\$5 same (non-transform\$6 or (without near transform\$6)) same databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:27
L118	2	(@ad<"20030508" or @rlad<"20030508") and select\$4 near15 transform\$5 same (non-transform\$6 or (without near transform\$6)) and relational near databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:27
L119	43	(@ad<"20030508" or @rlad<"20030508") and transform\$5 same (non-transform\$6 or (without near transform\$6)) and relational near databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:27
L120	67	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near5 replica\$5 and relational near databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:36

L121	0	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near5 replica\$5 same relational near databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:36
L122	41	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near5 replica\$5 same databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:36
L123	0	(@ad<"20030508" or @rlad<"20030508") and option\$1 near15 direct\$2 near5 replica\$5 same databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:36
L124	13	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near5 replica\$5 same databases and option \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:36
L125	5	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near5 replica\$5 same databases and option \$1 near15 replica\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:37
L126	5	(@ad<"20030508" or @rlad<"20030508") and option\$1 near15 replica\$5 same transform\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:38
L127	8	(@ad<"20030508" or @rlad<"20030508") and option\$1 near15 replica\$5 and option\$1 near10 transform\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:39
L128	2	(@ad<"20030508" or @rlad<"20030508") and option\$1 near15 mapping\$1 near15 databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:39
L129	819	(@ad<"20030508" or @rlad<"20030508") and option\$1 near15 databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:40

L130	0	(@ad<"20030508" or @rlad<"20030508") and option\$1 near15 transform\$5 near10 databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:40
L131	15	(@ad<"20030508" or @rlad<"20030508") and option\$1 near15 protocol\$1 near10 databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:40
L132	3879	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near10 databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:41
L133	32	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near10 replica\$5 near10 databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:41
L134	13	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near10 replica\$5 near10 databases and option \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:42
L135	518	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near10 replica\$5 and databases and option\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:44
L136	176	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near10 replica\$5 same transform\$6 and databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:44
L137	1	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near10 replica\$5 same transform\$6 and databases and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:45
L138	0	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near10 unalter\$2 same databases and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 15:53

L139	0	(@ad<"20030508" or @rlad<"20030508") and rmda near10 databases and "707"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:00
L140	0	(@ad<"20030508" or @rlad<"20030508") and rmda near10 databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:00
L141	0	(@ad<"20030508" or @rlad<"20030508") and option\$1 near15 (transform \$4 or conver\$5) near10 databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:01
L142	14	(@ad<"20030508" or @rlad<"20030508") and option\$1 near15 direct\$2 near15 databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:08
L143	0	(@ad<"20030508" or @rlad<"20030508") and option\$1 near15 databases and databases same transform\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:10
L144	62	(@ad<"20030508" or @rlad<"20030508") and option\$1 near15 databases and databases same transform\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:10
L145	2	(@ad<"20030508" or @rlad<"20030508") and option\$1 near15 transform\$6 same databases and databases same transform\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:14
L146	0	(@ad<"20030508" or @rlad<"20030508") and option\$1 near15 transform\$6 same replica\$6 and databases same transform\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:14
L147	0	(@ad<"20030508" or @rlad<"20030508") and option\$1 near15 transform\$6 near15 databases	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:14

L148	74	(@ad<"20030508" or @rlad<"20030508") and (copy\$4 or load\$4) near15 transform\$6 near15 databases	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:15
L149	42369	(@ad<"20030508" or @rlad<"20030508") and replica\$6 same transform\$6	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:34
L150	5	(@ad<"20030508" or @rlad<"20030508") and select\$4 near15 replica\$6 same transform\$6 same databases	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:35
L151	137	(@ad<"20030508" or @rlad<"20030508") and replica\$6 same transform\$6 same databases	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:35
L152	345397	(@ad<"20030508" or @rlad<"20030508") and option\$1 replica\$6 same transform\$6 same databases	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:35
L153	0	(@ad<"20030508" or @rlad<"20030508") and option\$1 near10 replica\$6 same transform\$6 same databases	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:35
L154	0	(@ad<"20030508" or @rlad<"20030508") and option\$1 near10 replica\$6 same transform\$6 and databases	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:35
L155	0	(@ad<"20030508" or @rlad<"20030508") and option\$5 near10 replica\$6 same transform\$6 same databases	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:35
L156	14	(@ad<"20030508" or @rlad<"20030508") and replica\$6 same transform\$6 near15 databases	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:36

L157	37	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near15 replica\$6 near15 databases	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:37
L158	7	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near15 replica\$6 near15 databases and transform\$6	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:37
L159	0	(@ad<"20030508" or @rlad<"20030508") and replica\$6 near15 databases same without near3 transform\$6	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:40
L160	20	(@ad<"20030508" or @rlad<"20030508") and replica\$6 near15 databases and without near3 transform\$6	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:40
L161	3	(@ad<"20030508" or @rlad<"20030508") and without adj3 transform\$6 near15 databases	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:42
L162	312	(@ad<"20030508" or @rlad<"20030508") and fast near15 databases and transform\$6	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:44
L163	4	(@ad<"20030508" or @rlad<"20030508") and fast near15 direct\$2 near15 databases and transform\$6	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:44
L164	4	(@ad<"20030508" or @rlad<"20030508") and option\$5 near15 fast near15 databases and transform\$6	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:45
L165	1759	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near15 databases and transform\$6	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:46

L166	103	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near15 databases and transform\$6 near15 databases	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:46
L167	4	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near15 mapping\$1 near15 databases and transform\$6 near15 databases	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:57
L168	1	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near15 (transfer\$5 or migrat\$6) near15 databases and transform\$6 near15 databases	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:59
L169	0	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near15 without near transform\$6 near15 databases and transform\$6 near15 databases	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:59
L170	0	(@ad<"20030508" or @rlad<"20030508") and without near transform\$6 near15 databases and transform\$6 near15 databases	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:59
L171	0	(@ad<"20030508" or @rlad<"20030508") and without near transform\$6 near15 databases	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 16:59
L172	3	(@ad<"20030508" or @rlad<"20030508") and without near5 transform\$6 near15 databases	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 17:00
L173	40	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near15 (export\$4 or import\$1 or importing) near15 databases	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 17:01
L174	0	(@ad<"20030508" or @rlad<"20030508") and option\$1 near10 direct\$2 near15 (export\$4 or import\$1 or importing) near15 databases	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 17:01

L175	3	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near15 (export\$4 or import\$1 or importing) near15 databases and without near3 transform\$6	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 17:02
L176	0	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near15 (export\$4 or import\$1 or importing) near15 databases and without near3 conver\$6	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 17:02
L177	0	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near15 (export\$4 or import\$1 or importing) near15 databases and without near3 alter\$4	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 17:02
L178	0	(@ad<"20030508" or @rlad<"20030508") and direct\$2 near15 (export\$4 or import\$1 or importing) near15 databases and without near3 format\$4	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 17:02
L179	38	(@ad<"20030508" or @rlad<"20030508") and (export\$4 or import\$1 or importing) near15 databases same without	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 17:03
L180	1595	(@ad<"20030508" or @rlad<"20030508") and replica\$6 near15 databases	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 17:05
L181	24	(@ad<"20030508" or @rlad<"20030508") and replica\$6 near15 databases and option\$5 near15 transform\$6	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 17:05
L182	18	(@ad<"20030508" or @rlad<"20030508") and replica\$6 near15 databases and option\$5 near15 transform\$6 and profile\$1	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 17:31
L183	35	(@ad<"20030508" or @rlad<"20030508") and alternat\$4 near15 mapping \$1 same databases	US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/09 17:35

EAST Search History (Interference)

< This search history is empty >

5/ 9/ 2010 5:44:14 PM

C:\ Documents and Settings\ plee2\ My Documents\ EAST\ Workspaces\ 10611779pcl.wsp